



## Material Safety Data Sheet

### CONTACT:

Instant Technologies  
883 Norfolk Sq.  
Norfolk, VA 23502  
Phone: 800-340-4029  
Fax: 888-340-4029  
Attn.: Customer Sales & Support

### MANUFACTURED FOR:

Instant Technologies  
883 Norfolk Sq.  
Norfolk, VA 23502

Trade Name: iScreen™  
Product Name: Drugs of Abuse Screen  
Catalog #: iS\*\*\* (based on configuration)

Name: Not Applicable  
Chemical Family: *In-vitro* diagnostic test kits  
Formula: Not Applicable  
F.W.: Not Applicable  
DOT Hazard Classification: Not Applicable  
DOT Shipping Name: Not Applicable

### Test Device: Sodium Azide:

Name:	Sodium Azide
CAS#:	26628-22-8:
Health Hazards:	Poison -- Do Not Inhale or Swallow
First Aid Measures:	Inhale: Remove to fresh air Flush with water for 15 minutes
Contact:	If conscious, wash mouth out with water Call Physician
Swallow:	Non-flammable
Fire Fighting Measures:	Not applicable.
Spill:	Not applicable
Exposure Controls:	Not applicable
Personal Protection:	Not applicable
Physical Properties:	Not applicable (contained within dry reagents in test device)
Stability/Reactivity:	Stable. Non-reactive in this test.
Toxicological Information:	Exposure above acceptable limits may be harmful
Regulatory Information:	OSHA PEL 0.3 mg/M <sup>3</sup> ACGIH TLV: TWA Ceiling limit 0.01ppm
Concentration in Device:	= <0.02% (7.5ng/test)
Stability/Reactivity:	Stable. Non-reactive within this kit.

The above information is believed to be correct but does not purport to be all-inclusive and shall only be used as a guide. Instant Technologies shall not be held liable for any damage resulting from handling or from contact with the above product. See invoice or packing slip for additional terms and conditions.